

عنوان مقاله:

Comparison Different Ankle Foot Orthotic for Drop Foot Caused by Spine injury

محل انتشار:

کنفرانس دو سالانه بین المللی مکانیک جامدات تجربی (سال: 1396)

تعداد صفحات اصل مقاله: 2

نویسندگان:

M.A Alavikia - PhD student, Department of Biomedical Engineering, Amirkabir University of Technology, Tehran, Iran

A.R Arshi - Associate Professor, Department of Biomedical Engineering, Amirkabir University of Technology, Tehran, Iran

خلاصه مقاله:

Neuromuscular diseases such as Cerebral Palsy, MS, stroke and spine injury could cause drop footproblem. That effect normal gait pattern and may cause insufficient clearance during swing phase. Patient with thisproblem use some substitute motion such as hip hiking. So they have some side effect problem because changing forceand moment pattern during gait. Ankle foot orthotics (AFO) is one of desired solution that could help correcting gaitpattern with limiting ankle movements. The aim of this study was comparison effects of different types of AFO inpatient with drop foot because of spine injury. Five L4 and L5 injured patients were participated in this study. Theywalked with three different types of AFO and without any AFO. Angle and moment of ankle and knee joints werecomparison with normal group in both injured and non-injured limb. Non parametric Friedman test used for statisticalanalysis with pvalue<0.05. Maximum amplitude of knee and ankle moments in injured limb was similar to normalgroup with using dynamic AFO. While minimum of these amplitude in both joints were not significantly different. Gaitwith other AFOs were not similar to normal group. Maximum knee angles were similar between all patients' situationand normal group. But maximum ankle angle were not similar with normal pattern. In conclusion dynamic AFO wasmore suitable for .correcting L4 and L5 injured patients gait patterns

کلمات کلیدی: Ankle Foot Orthotics, Spine injury, kinematic and kinetic analysis

لینک ثابت مقاله در پایگاه سیویلیکا:



